

PARAGON


WIDELINE ARCHITECTURAL RANGE

TAKE A CLOSER LOOK



CONTENTS

Take a closer look	4
Function, versatility and beauty that lasts	6
Awning and casement windows	8
Louvre windows	10
Hinged doors	11
Sliding doors	14
Sliding stacker doors	16
Bi-fold doors	18
Commercial projects	20
Matching accessories and fittings	22





TAKE A CLOSER LOOK

WELCOME TO THE FUTURE OF WINDOWS. WIDELINE IS ONE OF THE BEST KNOWN AND MOST TRUSTED WINDOW AND DOOR BRANDS IN AUSTRALIA. WE ARE PROUD OF OUR 40 PLUS YEAR AUSTRALIAN HERITAGE AND OUR REPUTATION FOR PRODUCING ARCHITECTURAL PRODUCTS OF THE HIGHEST STANDARD.

Advanced technology, innovation and beauty, these are the hallmarks of the Wideline range of Paragon architectural windows and doors.

Using advanced manufacturing technology and innovative design solutions, Wideline creates doors and windows that meet the needs of discerning architects, builders and homeowners for attractive modern designs, energy efficiency and bush fire safety.

Design versatility and a range of quality accessories offer you the ultimate flexibility to create the look you want for your home.

Tested for safety, energy efficiency and quality, Wideline products are backed by a written 7 Year Guarantee.



FUNCTION VERSATILITY AND BEAUTY THAT LASTS

WIDELINE'S STYLISH PARAGON RANGE DELIVERS ARCHITECTURAL ELEGANCE, ENERGY EFFICIENCY AND ADVANCED DESIGN VERSATILITY SO YOU CAN CREATE A BIGGER PICTURE.

Our designers are especially mindful of the increasing need to conserve energy and offer variations that help control room temperature, minimise penetration of damaging UV rays and solar heat.

- Create doors up to three metres high with advanced design Paragon panels, or take better advantage of stunning views with larger awnings and casement windows.
- Our innovative 100mm x 40mm main frame allows for more glazing options. Most designs can be glazed to 24mm or individually colonial glazed.

- Greater freedom to combine styles, accessories and glass options to achieve the perfect look. bi-fold, hinged, sliding and stacker doors are made with matching aluminium extrusions for a uniform look.
- Designs are adaptable for projects that need solutions for bushfire hazards, extreme weather conditions, noise control, and energy efficiency.
- Energy rated through the *Australian Window Association's Window Energy Rating Scheme (WERS)*.
- Designed and manufactured in Australia for Australian conditions. Crafted from the highest quality materials and supported by our 7 Year Guarantee.



AWNING AND CASEMENT WINDOWS

ARCHITECTURAL ELEGANCE, DESIGN FLEXIBILITY AND GREAT AESTHETIC APPEAL ARE THE 'BUILT IN' HALLMARKS OF OUR STUNNING RANGE OF AWNING AND CASEMENT WINDOWS

Awning windows are hinged at the top; and casement windows are hinged at one side. They are easy to operate, provide easily controlled ventilation and provide an elegant solution for large windows exposed to wind or rain.

Our versatile sash panels can also be manufactured up to a generous 2100mm high and 800mm wide.

- Robust frames and full perimeter sash seals for inclement weather.
- Glazing options up to 24mm for noise control and energy efficiency.
- The ability to incorporate fixlites, highlites and transoms.
- Can be fitted with matching insect screens that don't hamper window operation.
- Large sashes come with multi-point locks, so you can lock partially opened windows.



LOUVRE WINDOWS

STYLISH AND PRACTICAL, PARAGON LOUVRES GIVE YOU ULTIMATE CONTROL OVER LIGHT, VENTILATION AND PANORAMA.

Wideline's unique injection moulded clips provide a weather tight, corrosion-free seal and quiet operation.

- Our sturdy aluminium frames come in an excellent range of modern colours and blade options include, glass, western red cedar and aluminium.
- Integrated external screens can be added and won't interfere with window operation.



HINGED DOORS

MAKE A GREAT OPENING STATEMENT. THE RANGE OF DESIGNS AND CUSTOMISATION OPTIONS MAKES IT EASY FOR YOU TO CREATE THE PERFECT LOOK.

Quality and technology combine to deliver a hinged door system that can withstand the Australian climate.

- High quality full perimeter seals ensure superior weather protection and greatly minimises air infiltration. An important consideration for air-conditioned homes.
- Inward and outward opening configurations.
- Options for single and double opening door frames.
- Customise by adding overhead highlites or sidelite panels.



ARCHITECTURAL
ELEGANCE AND
DESIGN VERSATILITY
SO YOU CAN CREATE
A BIGGER PICTURE



SLIDING DOORS

PRACTICAL SOLUTIONS FOR BUSY HOMES.
SLIDING DOORS OFFER BIG VIEWS, GENEROUS
VENTILATION AND EASY OPERATION.

Wideline's sliding doors create 'space' by the better use of the available floor area. This means a wider opening for improved air flow and uninterrupted views.

The internal sliding panels also offer great security and are ideal for homes that may experience extreme weather exposure (such as coastal areas).

Durable, low maintenance, smooth and quiet to operate, they're ideal for a busy family home.

Check out our Aluminium Sliding Door Size Charts online at www.wideline.com.au

Features include:

- Self draining sills and quality seals.
- Toughened glass and a safety motif.
- Available in 2, 3 and 4 panel options.
- Matching insect screens available.
- Double glazing option available.



SLIDING STACKER DOORS


BRING AUSTRALIA'S GREAT OUTDOORS
IN WITH PARAGONS SLEEK, EXPANSIVE,
FULLY SCREENABLE STACKER DOORS.

Sliding Stacker Doors help you create new and exciting outdoor/indoor spaces.

As you'd expect Wideline have thought ahead - the sliding door outer frame design matches with Paragons Sliding Doors. This simple consideration helps you achieve a uniform look when using both sliding and stacker doors.

Wideline Stacker Doors are built tough for Australian conditions, are easy to maintain with heavy duty rollers and a tough 300Pa water rated frame (150mm deep).

- Double beaded door panels can be glazed up to 24mm for energy efficiency or noise reduction, and onsite glazing is available.
- Multiple options for height, width and panel designs, let you create openings up to 4 meters wide.
- Insect screens can be fitted.
- Decorative options including colonial bars available.



BI-FOLD DOORS

DESIGN AND TECHNOLOGY ENSURES WIDELINE'S PARAGON RANGE OF BI-FOLD DOORS DELIVER BIGGER VIEWS, MORE SPACE, DURABILITY AND WILL STAND THE TEST OF TIME.

Take a closer look at how much more enjoyable and flexible a room becomes with Paragon bi-fold doors. Multiple panel configurations provide an array of design opportunities for large screenable spaces.

With panel widths up to 1000mm and your choice of inward and outward opening doors, there are few limitations to designing an area.

Design features:

- Top hung for durability and ease of operation.
- Full perimeter seals reduce noise and stop drafts.
- Unique sill insert reduces roller wear and noise.
- Marine grade (316) stainless steel hinges and fittings.
- Tested for water resistance.
- Double beaded door panels can be glazed to 24mm and sills can be recessed into floor.



COMMERCIAL PROJECTS

PARAGON'S INNOVATIVE, ARCHITECTURAL WINDOW SYSTEMS ARE JUST AS MUCH 'AT HOME' IN COMMERCIAL INSTALLATIONS AS THEY ARE IN PREMIER RESIDENTIAL APPLICATIONS.

Take a closer look at how versatile and durable Paragon can be. Paragon's extensive product range and framing systems make it the ideal choice for retail shop fronts, multi-storey mixed residential and commercial projects.

- 100 & 150mm main frame options.
- Centre pocket, offset pocket or flushglaze suites available.
- Automatic entrance doors.
- Supply and installation teams work closely with your project managers to ensure project plans are met and product standards are exceeded.



MATCHING ACCESSORIES AND FITTINGS

AS YOU WOULD EXPECT, THE PARAGON RANGE COMES COMPLETE WITH A COMPREHENSIVE SELECTION OF STYLISH ACCESSORIES.

Decorative options

- Add a finishing touch with colonial or federation bars
- Couplers allow complex product combinations in the Paragon range
- Colour matching and creation service
- Hardware finishing options from powder coating to satin chrome and stainless steel.

Options for energy efficiency, comfort, safety, security or noise reduction.

- Matching insect and safety screens are available
- Improve weather performance with sub-heads and sub-sills
- Range of glazing options to 24mm
- Excellent range of lock options for added security
- Superior safety compliant options for bush fire prone areas.



COLOUR SELECTION CHART AVAILABLE

Can't find the colour your looking for?

Don't worry. Wideline will match your dream colour and bring it to life.

Simply speak to one of our sales professionals.

With Paragon
if you can
imagine it, the
chances are we
can do it.

7 YEAR GUARANTEE

CONDITIONS

YOUR WIDELINE PRODUCTS ARE GUARANTEED AGAINST DEFECTS ARISING FROM FAULTY WORKMANSHIP OR MATERIALS FOR A PERIOD OF SEVEN (7) YEARS FROM THE DATE OF DELIVERY BY WIDELINE, SUBJECT TO THE FOLLOWING CONDITIONS:

- | | | |
|--|--|---|
| <p>a. The product has been installed in accordance with the relevant Australian Standards and recognised building practice.</p> <p>b. The product has been maintained in accordance with industry recommendations.</p> <p>c. The product has not been subject to misuse, physical abuse or neglect.</p> <p>d. Manufacturing standards and tolerances are not deemed defects, nor are industry variations in the colour of aluminium and timber componentry.</p> <p>e. Wideline accepts no responsibility for glass breakage (except for faulty workmanship or materials). Wire reinforced glass, toughened glass, float glass, laminated glass and mirror glass is guaranteed against defects and</p> | <p>degradation for a period of three (3) years.</p> <p>f. Moving parts which wear out as a part of normal use are guaranteed for two (2) years.</p> <p>g. This guarantee is limited to the repair or replacement of the faulty product at the company's discretion but does not extend to the installation or refinishing of a replacement product.</p> <p>h. Finish failures or corrosion of aluminium or other components due to environmental conditions such as air pollutants, acid rain or other corrosive substances are defects which have arose due to the conditions and are therefore not the responsibility of Wideline.</p> <p>i. Corrosion, wear, or failure of standard components in seacoast applications (within</p> | <p>5 kilometres of coastal waters) is not covered under this warranty as deterioration is possible under climate conditions.</p> <p>j. Normal wear or discolouration of finishes including the tarnishing of brass is a result of conditions or applications and are therefore not the responsibility of Wideline.</p> <p>k. Only repairs carried out by Wideline personnel or authorised Wideline agents are covered by this guarantee.</p> <p>l. Claims under this guarantee should be made within one month of the defect arising in the product. Copies of documentation showing the purchase date of the product should be included with your written claim and forwarded to the nearest Wideline office.</p> |
|--|--|---|

This guarantee is in addition to all other rights and remedies in respect of this product to which you are entitled under the Trade Practices Act and similar State and Territory laws. For the benefit of the consumer. Effective 1 August 2013

INSTALLATION AND MAINTENANCE

WIDELINE PRODUCTS ARE MANUFACTURED FROM THE MOST SUITABLE MATERIALS AND FINISHES AVAILABLE AND WHEN PROPERLY MAINTAINED, WILL GIVE MANY YEARS OF QUALITY SERVICE.

Builders/Home Owners Please Note

When you are installing windows and doors there are some precautions you should take to ensure that the products will retain their ex-factory condition until installation is complete and the job handed over.

Wideline products usually arrive on the site in a fully finished condition. However, they can be damaged through careless handling, and are particularly vulnerable when being installed in brick or concrete block construction.

Remember

- Keep wet cement, mortar and brick-cleaning acid from contact with timber or aluminium (particularly if the finish is anodised), before, during and after installation.
- If accidentally splashed, wash off immediately with clean water otherwise permanent staining or damage may occur.
- Do not use acid to remove mortar stains on window frames.
- Hose down brickwork to remove residual cleaning acid that may leach out and cause damage to the finish later.
- Do not place windows directly onto green concrete slabs.
- Keep the tracks of sliding windows and doors clear of sand and cement droppings.
- Do not use window or door frames to support planks or temporary scaffolding.
- Clean up when the job is complete with mild detergent and rinse with clean water.

Aluminium Products

A good general rule is that aluminium should be washed to remove dirt deposits as often as it is necessary to wash windows.

Aluminium requires only minimum maintenance but, like your motor car, the finish may deteriorate if dirt, which collects on the surface, is allowed to remain unwashed over a period of time. This is because dirt absorbs moisture present in the atmosphere. Moisture can contain salt near the ocean or other impurities in industrial areas, and it is the combination of dirt and contaminated moisture that can cause deterioration of almost any surface finish.

In rural areas where normally there is very little contaminated moisture, you may not need to clean your aluminium fittings more than every six months. In industrial and coastal areas, washing at intervals of one to three months may be required – or even more frequently in locations close to the ocean or in heavily polluted industrial areas, especially where the windows or other product is sheltered from the washing effects of the rain.

To clean aluminium, use the mildest treatment you can which produces satisfactory results. Start with warm water, with soap or detergent. On anodised material try solvent cleaners (eg: kerosene, turpentine, white spirit), or non-etching chemical cleaners, or a wax-based polish cleaner. Never use harsh liquid chemicals, abrasive cleaners or steel wool.

Timber Products

Wideline timber products are delivered ready for surface treatment. Raw (untreated) timber should be protected from water (including high humidity)

prior to surface finishing to prevent staining, warping, swelling, etc and a high quality surface finish should be applied as soon as possible, following the manufacturers directions. Primer alone will not provide adequate protection to the timber. This surface finish coating should then be maintained in good condition on both internal and external faces. This can be achieved by regular cleaning with non-abrasive cleaners and refinishing when breakdown of the coating occurs. Applied coatings and refinishing must include all edges of doors including top and bottom. Steel wool or other metallic abrasives must not be used to sand cedar and other fine grain timbers. Use fine grit sandpaper or sanding blocks.

To avoid water staining, keep tracks and sash openings clean and free of leaves and other debris that may retain water. Ensure that the weep slots in windows and doors are kept clear to allow maximum drainage.

We do not recommend the use of ordinary steel fasteners as these may corrode which will result in unremovable stains.

Windows and doors facing direct sunlight should be painted in light reflective colours. Windows and doors painted or stained dark colours or different colours on each face may warp which would void the Manufacturers Warranty. All edges should be sealed including top and bottom edges.

Please consult a professional painter for advice on under-coating and painting standards. Some timber products require a further drying period before being painted and your painter can assist you with this.



Wideline is proud to announce that it is a founding member of the Australian Window Association (AWA).

This association has been established to ensure that manufacturers produce windows and doors that meet – if not exceed – stringent safety and structural standards. From material selection and workmanship quality to weather sealing and applied finishes, all aspects of production are scrutinised to ensure that they meet the relevant Australian standards.



The AWA label on each and every Wideline product means that you can be confident that our vast range has been tested, certified and guaranteed by independent inspectors accredited by the National Association of Testing Authorities.

All products shown in this catalogue are representative of what can be achieved and are subject to individual finishes and installation techniques. Wideline Pty Ltd reserves the right to modify sizes and details without notice. Wideline Pty Ltd does not accept liability for the appearance of your finished product.



CENTRAL COAST

Registered Head Office
174 Pacific Highway
Tuggerah NSW 2259
PO Box 378 Wyong NSW 2259
Phone: 1300 943 354
Facsimile: 02 4350 8429

SYDNEY REGION

89 Victoria Road
Parramatta NSW 2150
PO Box 3158
North Parramatta NSW 1750
Phone: 1300 943 354
Facsimile: 02 8835 4400

NEWCASTLE REGION

107 Broadmeadow Road
Broadmeadow NSW 2292
Phone: 1300 943 354
Facsimile: 02 4978 8550